

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	shift\$4 near10 session\$1 near10 "another" near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/05 11:45
L2	20	shift\$4 near10 session\$1 near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/05 11:46
L3	765	rout\$4 near10 session\$1 near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/05 11:55
L4	7	bestavros.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/05 11:55
L5	10	("6370584").URPN.	USPAT	OR	OFF	2005/11/05 12:15
L6	24	709/236.ccls. and correct\$4 near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/05 13:04
L7	1	709/236.ccls. and rout\$4 near10 rewrit\$4 near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/05 13:24
L8	3	709/236.ccls. and rout\$4 near10 session\$4 near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/05 13:05
L9	765	rout\$4 near10 session\$4 near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/05 13:05
L10	249	rout\$4 near10 session\$4 near10 server\$1 and @ad<"20001221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/05 13:05

L11	105	rou\$4 near10 session\$4 near10 server\$1 and "709".clas. and @ad<"20001221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/05 13:09
L12	2	"20010052024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/05 13:09
L13	42	rou\$4 near10 session\$4 near10 (id identifier\$1) near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/05 13:10
L14	6	709/236-245.ccls. and rou\$4 near10 rewrit\$4 near10 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/05 13:24
L15	17	370/389,392.ccls. and l10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/05 13:25



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Edit an existing query or compose a new query in the Search Query Display.

Sat, 5 Nov 2005, 12:15:12 PM EST

Search Query Display

[Run Search](#)[Reset](#)

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
#1	((rout* <paragraph> packet* <paragraph> server* <paragraph> handl*) <in> metadata)	10
#2	((rout* <paragraph> packet* <paragraph> server* <paragraph> handl*) <in> metadata)	10
#3	((rout* <paragraph> packet* <paragraph> server* <paragraph> handl*) <in> metadata)	10
#4	((rout* <paragraph> packet* <paragraph> server* <paragraph> handl*) <in> metadata)	10
#5	((~ scalable and highly available web server ~) <in> metadata)	2
#6	((~ scalable and highly available web server ~) <in> metadata)	2

[Clear Session History](#)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)
© Copyright 2005 IEEE – All Rights Reserved